

STANLY NEWS AND PRESS
ORDER CONFIRMATION (CONTINUED)

Salesperson: DANIELLE INGOLD

Printed at 04/30/12 15:16 by dingo

Acct #: 903510

Ad #: 52392

Status: E

Document ID No. 8221

PUBLIC NOTICE

N. C. Department of Environment and Natural Resources Division of Waste Management, Solid Waste Section 1646 Mail Service Center, Raleigh, North Carolina 27699-1646 Telephone: (919) 508-8520 or Fax: (919) 733-4810
<http://portal.ncdenr.org/web/wm/sw>

Notice of public comment period on draft Permit Number 84-01, to continue operation of the City of Albemarle Construction and Demolition Debris Landfill (C&DLF), a C&DLF on top of a closed municipal solid waste landfill (MSWLF), pursuant to 15A NCAC 13B .0531, et seq. and 15A NCAC 13B .1600 of the Solid Waste Management Rules is hereby given.

North Carolina Solid Waste Management Rules require that the public be given a 45-day period to comment on this draft permit. The comment period will begin April 4, 2012, and end at 5:00 p.m. on May 25, 2012. Persons wishing to comment on either this permit or the proposed permit conditions should submit their comments in writing to the division contact at the following address:

John Murray, P.E.
N. C. Division of Waste Management,
Solid Waste Section
610 E. Center Ave.
Mooresville, NC 28115

All data submitted by the applicant is available as part of the administrative record and may be reviewed during business hours (9 a.m. - 4 p.m., Monday-Friday, by appointment, 919-707-8271) at the Division of Waste Management, 217 W Jones Street, Raleigh, North Carolina 27603. The administrative record, including the application, fact sheet, and draft permit may also be viewed online at <http://portal.ncdenr.org/web/wm/sw>.

The C&DLF on top of a closed MSWLF is owned and operated by the City of Albemarle, SR 1740 Albemarle, Stanly County, North Carolina. The draft permit reflects the request of the City of Albemarle to continue operations for the C&DLF and to operate a groundwater treatment system as the Corrective Action Plan remedy for the closed MSWLF. Impact to groundwater from the closed MSWLF requires the implementation of a corrective action plan. The draft permit contains conditions for the implementation, operation, and assessment of the action plan.

A public hearing has not been scheduled for this permit. Any person interested in a public hearing on this permit should notify the division contact in writing. If sufficient interest exists, a public hearing will be scheduled.

City of Albemarle C&D Landfill

April 3, 2012.